

# SUBJECT INDEX

*Boldface numbers indicate definitions, descriptions, or important sections; italic numbers indicate Figures.*

- a* (constant in allometry formula), 80  
*a<sub>jk</sub>* (number of characters applicable to two OTU's), 165  
Aberrant organisms: occurrence of, 68, 247; recognition of, 61, 160; systematic position of, 13, 188, 259  
Acanthaceae, 23  
Actinomycetes, Actinomycetales, 170, 260, 261, 263  
Adansonian classification: axioms of, 50; in bacteriology, 39; equal weighting in, 51, 267  
Adaptive characters, 35  
Additional data, incorporation of, 210–215  
Additive coding, 76  
Adult and larval stages (*see also* Congruence), 87–90, 166  
*Aedes*: congruence in, 90; effect of standardizing characters, 142; numerical taxonomy of, 166, 259; serology of species, 285; undescribed characters from, 269  
*Aeromonas*, 261  
Affinitätsrechnung, 38  
Affinity (*see also* Similarity, Resemblance): in Adansonian classification, 21, 50; Adanson's views on, 17; based on few characters, 22; cladistic, 27, 220; in defining convergence and parallelism, 106–109; different kinds of distribution of, 171, 172; early methods for computing, 38; effect of evolution theory on, 20; estimation of, 50, 123 *et seq.*; incorporating new data, 211; patristic, 28, 220; phenetic or static, 3, 55, 123; relation to "family resemblance," 14; relation to phylogenetic relationship, 22 *et seq.*; relation to size and shape factors, 152; serological, 40; use in grouping OTU's, 169; used interchangeably with "similarity" and "resemblance," 3, 123  
Affinity index of Brisbane and Rovira, 133  
Age and area hypothesis, 232  
Age of organisms, 79, 247  
Albinos, 8, 68  
Albumens, 239  
Algae, 23  
ALGOL, 317  
Allergic reactions, 45  
Allometry: discussion, 79; formulas, 80, 238; growth gradients, 241; need in paleontology, 247  
Allopolyploidy, 31, 99, 224  
All-or-none characters, *see* Two-state characters  
Alpines, 19  
*Ambystoma mexicanum*, 81  
Amino-acid sequence, 41, 64, 73  
Ammonites, 108  
Amphibian larvae, 81  
*Amphiuma*, 64  
Analogy (*see also* Homology), 22, 71  
Analytic methods of rotation to simple structure, 195  
Ancestors: inclusion in phenetic classification, 232; most probable, criteria for, 56, 57; proteins of, 239  
Ancestral characters (*see also* Primitive organisms, Primitive characters): of common ancestor, 160, 225, 227; estimates from living forms, 221–225  
Ancestry, relationship by, *see* Phylogenetic relationship  
*Anemia*, 289  
Angles, correlations between taxa as, 203  
Annelid worms, 23, 244  
*Anthocopa*, 199  
Anthropoids, 161  
Anthropology: cultural, review of methods, 285, 286; indices used in, 146; physical, 282; variation in characters, 157  
Antibiotics, 170, 260, 263  
Antibodies, 40  
Anti-evolutionists, 56

- Antigen-antibody reactions, 40  
 Antigenic formulas, 44  
 Anti-organism, 140  
 Ants, 23, 26  
 Apes, 161  
 Aphids, Aphididae: alternation of generation, 26, 86; geographic variation, 90; predicted characters of new species, 170  
 Apomictic groups, 30, 121, 244  
*arc cos r*, 203  
*Archaeopteryx*, 26  
 Archeology, 284  
 Archetype, 160  
 Aristotelian logic, 12, 16  
 Arthropod, 158  
 Artificial classification, 170, 277  
 Artificial group, 7, 9, 13, 19  
*Ashmeadiella*, 199, 207  
*Aspergillus*, 65  
 Association: between characters, *see* R-technique; between OTU's, *see* Q-technique, Ecology  
 Association analysis, 281  
 Association coefficients, *see* Coefficients of association  
 Associations, functional, 68  
 Astronomy, 284  
*Atoposmia*, 199  
 Automatic methods: character coding, 274; coding systems, 317; comparing diagrams, 83; processing of information, 257  
 Average distance, *see under* Coefficients of average distance  
 "Average individual," 243, 256  
 Average linkage methods, *see under* Cluster analysis  
 Average similarity, 191  
 Average taxonomic difference, 146  
 Average weight of matching,  $\bar{w}$ , 138  
 Axolotl, 81
- b* (constant in allometry equation), 80, 238  
*Bacillus*, 200, 246, 260  
 Bacteria (*see also* Actinomycetes): bacteriophages from, 226; cell walls, 263; characters in, 61; coefficients in, 77, 131, 166; current systematics, 33, 261; distribution of similarity values in, 175, 243; DNA content, 65; genetic transfer in, 73; luminescence in, 23; model of, 207; numerical taxonomic studies, 261, 262, 286; numerical taxonomy with higher ranks, 273, with strains, 259, 272; polyphenic methods with, 45, 46; rate of evolution, 239; soil forms, 260; species concept in, 121, 261; tests used in, 68, 131  
 Bacteriology: operational homology successful in, 74; reviews, 39
- Bacteriophage: DNA content, 65; host range and taxonomy, 263; polyphyletic origin, 226; transferring genes, 73  
 von Baer's law, 232  
 Bats, 106, 204  
 Bauplan (structural plan), 71, 231  
 Bees: branching of dendrograms, 246; criteria of rank, 205; dendrograms, 197, 199, 207; different cluster methods with, 189; effect of standardizing characters in, 142; factor analysis in, 196, 197; frequency distribution of similarities, 175, 213, 214; new subgenus in, 263; nonspecificity in, 89; numerical taxonomy results, 259, 260; social organization in, 23  
 Beetles, 61, 84  
 Behavioral studies, 47  
 Bias: avoidance of, in choosing characters, 51, 95; deliberate, to yield discrete clusters, 191; introduced by changed methods, 115, by character standardization, 149  
 Binary coding, 78  
 Binom, 120  
 Binomial distribution, 114, 115, 128, 314  
 Binominal nomenclature, 36  
 Biochemistry, 45, 46  
 Birds: ancestry, 219, 226; convergence in, 98, 106, 107; criteria for taxonomic rank, 226; nonspecificity in, 89; proteins of, 46; races of, 33; serological similarity, 204; sex differences, 26, 88; song of, 33, 94; species recognition marks, 33; variability of, 204; virus in, 95, 226  
 Birds-of-paradise, 88  
 Bit (binary) of information, 63-65, 76  
 Bivariate normal frequency distribution, 142  
*Blastophaga*, 88  
*Blatta*, 83  
 Blood groups, 85, 157  
 Bradytely, 97, 98, 238  
 Branching of dendrograms, 27, 245  
 Branching, phylectic, 26, 27, 220  
 Bromeliaceae, 261  
 Bromeliales, 261  
 Botany, 9, 250  
 Butterflies: geographic variation, 242, 259, 262; internal characters, 269; nonspecificity, 259; overlap in characters, 33; races of, 33
- c* (number of OTU's in cluster), 188  
 $C_7$  (association coefficient of Cole), 140  
 $C_H^2$  (reduced C.R.L.), 152  
 $C_G^2$  (size coefficient of Penrose), 149, 151  
 $C_Z^2$ , 152  
 $CD_{jk}$  (coefficient of divergence of Clark), 148  
 Calibration of similarity scales, 212  
*Canis*, 106

- Carbohydrates, 40, 43
- Castes in social insects, 86, 88, 121
- Categories of taxonomic rank, 5, 31, 54, 206, 251
- Cats: characters from skulls of, 269; non-specificity in, 89; numerical taxonomy on skulls of, 38, 146, 259; Siamese, 276
- Center of origin hypothesis, 232
- Central or nodal clustering, 185
- Centroid, 186, 195, 227
- Centroid factor extraction, 195
- Centrotype, 256
- Ceratophyllum*, 289
- Character complex rates, 238
- Character rates, 238, 240
- Character states: coding of, *see* Coding of characters; qualitative scoring of, 136; scoring of intermediate states, 293, of overlapping characters, 160; use of term, 62, 70
- Character variation: added by new characters, 211; within taxa, 158
- Characters: a priori importance of, 16, 34, 35; adaptive, 35; additive, 76; adequate number of, 38, 39, 51, 87; all-or-none, *see* Two-state characters; bionomic, 85; chemical, 260; choice of, 60, 84, 91, 290; coding, *see* Coding of characters; complex, 222; constant, 119, 170, 210, 217, 275, 278; continuous series of, 24, 150; continuously varying, 63; convergent, 8, 222; correlated, *see* Correlations between characters; definition of, 61; derived states of, 224; diagnostic, 9, 92, 93; difficulty in finding enough, 269; empirically correlated, 68; enigmatic, 222; environmentally determined, 66, 92; excessive weight of, 75; frequency in taxa, 231; from head, 85, 89, 269; hierarchy of, 34; homologous, 7, 8, 56, 69, 221; importance of, 16, 119; inadmissible, 66, 292; invariant, 67, 78, 130; kinds of in taxonomy, 51, 84, 91-95; of life history stages, 86; logically correlated, 66, subordinate, 163; meaningless, 66; meristic, 155; missing information in, 162; multistate, *see* Multistate characters; mutual absence of, 128; new, 5, 37, 210; number needed, 51, 78, 115, 266, 272; from one body region, 85; overlapping, 156, 160; parallel, 223; phenetically discrete, 155; positive, 74, 126; primary and secondary, 288; publication of lists of, 210; random sample of, 111; redundant, 82; scaling of, *see* Scaling; serological, 40, 93, 239; size in, 77; special classes of, 85, 93; standard, 79; standardization of, 142, 293; states, *see* Character states; tautological, 66; taxonomic, 61, 84, 92; true by definition, 66; two-state, *see* Two-state characters; unit, 63 *et seq.*; unit, definition of, 65; unreliable, 158; values of, 62; varying within a taxon, 92, 121; weighting of, *see* Weighting of characters
- Chemical substances: as characters, 45, 46; coding in character states, 74
- Chemical-Biological Coordinating Center, 257
- Chilosmia*, 201
- Chironomids, 87
- Chi-square,  $\chi^2$ , 128, 135
- Chorthippus*, 115
- Chromatography, 45
- Chromobacterium*, 260, 262
- Chromosomes, 24, 47, 64
- Chronological sequences, determination of, 246
- Clades, 102
- Cladistic affinity or relationship (*see also* Monophyly): as shown in dendrograms, 27; defined, 220; and pregroup-exgroup problem, 229; prerequisite to studying evolution rates, 228; relation to phenetic affinity, 222
- Clark's coefficient of divergence (CD), 148
- Class (rank category): rank in birds, 204; time to evolve, 240; traditional category, 31
- Classes (sets): distinct, 3; natural, 17
- Classification (*see also* Taxonomy, Numerical taxonomy, Systematics): arbitrary or artificial, 12; as art or science, 21; based on few characters, 7; definition, 3; empirical, 18, 265; from above and from below, 15, 60; general, 12, 99; horizontal, 31, 32, 102; of inanimate objects, 96, 265; natural, 11, 19; phenetic, 55; phylogenetic, 87, 95, 216-227; special, 12, 99; stability of, 54, 264; vertical, 31, 102
- Cline, 3
- Cliona*, 259, 262
- Clones, 121, 162, 244
- Clumps, 284
- Cluster analysis: by average linkage (*see also* UPGM, UVGM, WPGM, WVGM), 182, 190, 192, 194, 202; central or nodal, 185; comparison and evaluation of, 189-194, 200-203; by complete linkage, 181, 190, 192; computational example, 305-312; criteria for cluster membership, 180; description of methods, 52, 176-188; elementary, 179; Lockhart and Hartman's, 188, 277; need in comparative serology, 43; Pohja and Gyllenberg's, 288; representation of results of, 198; Rogers and Tanimoto's method, 185, 193, 264, 288; similarity coefficients suitable for, 167; by single linkage, 180, 190, 192, 202, 281, 288;

- Cluster analysis: (*continued*)  
 Sneath's method, 180, 264; Sokal and Michener's method, 182; Sørensen's method, 181; Tryon's method, 285; types of, **178-188**, 192, 287
- Clustering cycle, 183, 306
- Clusters: center of, *see* Centrotype; distinctness of, 33, 262; example of, 306; of high affinity, 52; kinds of, 172, 192; labeling of new, 308; phenetic, 276; prospective member of, 180, 182; relation to hierarchies, 218; as shaded areas in diagrams, 177; size at  $S$  levels, 182; typical member of, 256
- Cocci, 260
- Coccinellid beetles, 84, 262
- Codes of Nomenclature, 250, 327
- Coding of characters (*see also* Scaling): additive, 76; arbitrary assignment, effect of, 293; binary, 78; broken into steps, 63, 292; computational example, 290; difficulty in fossils, 247; of discrete and overlapping, 155, 156; ecological characters, 93; geographical characters, 94; nonadditive, 77; normalization, 145; as ratio, 144; recoding multistate to two-state, 76; scores in, 123; standardization, 142, 145, 293; of two-state and multistate, 74
- Coefficients of affinity, *see* Similarity coefficients
- Coefficients of association (*see also under S*): computational examples, 300-304; confidence limits of, 115, 116, 314; in cultural anthropology, 286; expected values of, 129, 130, 132; formulas for, 129, 130, 132; kinds of (*see also under S*), **128-141**; limits of, 129, 130, 132; with multistate characters, 75, 76, 156; negative matches in, 129; recalculation in clustering, 184; standard error of, 313; symbolism for calculating, 126
- Coefficient of average distance (*see also d*), 146, 147, 300, 316
- Coefficient of belonging, 285
- Coefficient of Cole ( $C_7$ ), 140
- Coefficient of correlation: computational example, 296; confidence limits of, 115, 315; description of, **141**; fourfold point, 132, 134, 155; product-moment, *see r*; tetrachoric ( $r_t$ ), 155
- Coefficient of determination, 167
- Coefficient of Dice ( $S_D$ ), 129, 132, 304
- Coefficient of discrimination, 287
- Coefficient of distance: average distance ( $d$ ), **147**, 300; comparison with  $r$ , 166; computational example, 300; confidence limits, 117, 177, 315; description of various, **143-151**; expected value, 117, 316; frequency distributions of, 175; with inapplicable character, 164; recalculation in clustering, 184; Rogers and Tanimoto's, 185; standard error of, 316; tens-complement of, 176, 310; with two-state characters, 156
- Coefficient of divergence ( $CD_{jk}$ ), 148
- Coefficient of Gini, 285
- Coefficient of Hamann ( $S_H$ ), 132, 134, 304
- Coefficient of inhomogeneity, 187, 193
- Coefficient of Jaccard ( $S_J$ ), 129, 133, 304
- Coefficient of Klimek ( $Q_6$ ), 287
- Coefficient of Ochiai ( $S_o$ ), 130, 304
- Coefficient, phi ( $S_\phi$ ), 132, 134, 287, 304
- Coefficient of racial likeness (C.R.L.), 38, 149, 150, 282
- Coefficient of relevance ( $R_{jk}$ ), 165
- Coefficient of resemblance, types of (*see also* Similarity coefficients), 123 *et seq.*
- Coefficient of Rogers and Tanimoto: computation, 304; distance ( $d_{ij}$ ), 151; generalized, 135; two-state ( $S_{RT}$ ), 129, 133
- Coefficient of Russell and Rao ( $S_{RR}$ ), 129, 131, 304
- Coefficient of shape, 151
- Coefficient of similarity, *see* Similarity coefficient
- Coefficient, Simple Matching, *see S<sub>SM</sub>*
- Coefficient of size ( $C^2_Q$ ), 149, 151
- Coefficient of Smirnov ( $t_{f,q}$ ), 135-139
- Coefficient of taxonomic distance, *see d*
- Coefficient of Yule ( $S_Y$ ), 132, 134, 304
- Coefficient of Zarapkin,  $\ominus$ , 149
- Coefficients of Kulczynski ( $S_{k_1}, S_{k_2}$ ), 129, 130, 304
- Coefficients, unnamed, 129, 130, 304
- Coelacanth, 239, 240
- Coelenterates, 23
- Color: adaptations, 26; different mechanisms of, 70, 75; of skin, 160
- Commelinales, 261
- Common ancestor, 99, 220, 227, 232, 236
- Communalities, 197
- Comparative serology: in higher ranks, 206; nonspecificity and, 88, 260, 285; pitfalls, 43; plants, review, 40; rate of evolution and, 239; in relation to homology, 72, to taxonomy, **40-45**, 88; scoring systems, 44
- Computation: available facilities, 269; examples, **290-317**; in factor analysis, 198, 209; simple methods for, 167
- Computer: diagnostic keys by, 58, 277; essential in numerical taxonomy, 2, 80, 167; languages for, 317; limitations of speed and storage, 117, 120, 147, 208, 211; medical diagnosis by, 283; nomenclature and, 257; relation to thought processes, 270; superior to taxonomists, 268, 271
- Computer programs: cluster analyses, 180, 183, 193; cophenetic program, 201; ex-

- Computer programs: (*continued*)  
 change of, 275; inapplicable characters and, 164; recommendations for, 317-319; types of, 318, 319
- Confidence limits or bands: of average similarities, 191; of binomial distribution, 314; of  $d$ , 117, 315; of intrataxon means, 157; of  $r$ , 115, 315; of  $S_{SM}$ , 116, 314; of similarity matrices, 153-154, 165
- Congruence: adult-larval, 87, 224, 285; in body regions, 85; current procedure with, 26; effect on number of characters needed, 110; evidence for, 85-91; relation to phylogeny, 87, 224; between serology and taxonomy, 88, 285; between sexes, 88, 91
- Content of information: in factors of factor analysis, 195; of genomes, 64, 65; of natural taxa, 15, 19, 50, 63, 111, 118
- Convergence: in defining monophyly, 100; difficulty of recognition, 107, 227, 98; high-ranking taxa and, 218; overall convergence defined, 106; and parallel evolution, 108-110; problems for taxonomy, 23; relation to patristic and phenetic affinity, 222; representation in dendrograms, 28
- Cophenetic correlation method, 91, 189, 200, 312
- Cophenetic values, 202, 313
- Correlation: cophenetic, 189, 202, 313; empirical, 68, 69, 80; logical, 66, 67; between taxonomy and genetics, 242
- Correlation between characters: as basis for natural taxa, 16, 34, 50, 217; as criterion for primitiveness, 231; empirical, 68-69; logical, 66, 67; relation to Q and R studies, 207; and taxonomic distance, 151
- Correlation coefficient (*see also r*): assumptions behind, 155; comparison with distances, 166; computational example, 296; confidence limits of, 115, 123, 315; cophenetic, 189; factor analysis of, 194; four-fold point, *see* Phi coefficient; inapplicable characters and, 164; indeterminate value, 167; intraclass, 285; product-moment, *see r*; recomputation during clustering, 183, 194, 307; tetrachoric, 155; two-way frequency distribution of, 213, 214
- Correspondence of parts, 71
- Corynebacterium pyogenes*, 263
- Cow, 44, 284
- Crab, 64
- Criticisms of numerical taxonomy, 264-271
- C.R.L., *see* Coefficient of Racial Likeness
- Crocodiles, 226
- Cron, definition of, 238
- Cruciferae, 23
- Crustacea, 23
- Cryptic species, 217
- Cryptocercus*, 23
- Cryptogams, 226
- Cyanastraceae, 190, 261
- Cyclomorphic organisms, 86, 90
- Cyperaceae, 261
- Cytology, 47, 86
- Cytophaga*, 286
- Cytotaxonomy, 47
- $d$ ,  $d_{jk}$  (average taxonomic distance): computational example, 300; confidence limits, 117, 316; expected value, 150, 316; formula, 147, 300; recommended use, 167; standard error, 316; tens-complement of, 176, 310; variance, 150
- $d^2_{jk}$  (reduced C.R.L.), 147
- $d_{ij}$  of Rogers and Tanimoto, 151, 186
- $D$ ,  $D^2$  (Mahalanobis' generalized distance), 38, 147, 150, 281
- $d_e$  (number of differing characters), 188
- Damaged specimens, 163, 277
- Danforth's short-tail mutation, 84
- Darwin, evolution rate, 238, 242
- Dasyurus, 83
- Data center, 288
- "Data matrix," *see* Matrix,  $n \times t$
- Data-processing machines, 257, 275, 278, 317
- $\Delta_{jk}$ ,  $\delta_{jk}$ ,  $\Delta^2_{jk}$ ,  $\delta^2_{jk}$ , 147
- $\Delta_Q$ ,  $\Delta_R$  in Spearman's method, 183, 307
- $\Delta_S$  ("triangle mean"), 181
- Dendrograms: comparison of, 200-202; construction of, 178-200, 199; distortion of, 189, 312; examples figured, 197, 199-201, 252, 309, 311-312; lying on side, 199, 200; pattern of branching, 245-246; phenon nomenclature and, 251-253; symbolism in, 27-29
- Deoxyribonucleic acid (DNA): content of nuclei, 64; evolution rates in, 242; genetic code as, 64; hybrid molecules, 47; numerical taxonomy and, 114, 282; transfer of, 73
- Descendant states, 224, 225
- Desk calculator, 145, 167, 201, 295, 298
- Diagram, differential shading, 176-178, 177, 178, 179, 198, 210
- Differentiation index, 241
- Discriminant analysis, 277
- Discriminant functions, 38, 254
- Discrimination, measure of ( $G$ ), 277
- Discriminatory features, extraction of, 275-278
- Distance, taxonomic (*see also* Coefficient of distance): computational example, 300, 301; defined, 51; inverse relation to similarity, 176; measures of, 143-153; and nomenclature, 254; model, 203; nonspecificity studies with, 90; relation to  $S_{SM}$ , 151

- Distributions: binomial, 124; clumped, 171, 172; geographical, 93, 94; normal, 243; Poisson, 246; random, 171, 172; uniform, 171, 172
- Divergence in evolution, 26, 107
- Divergenzanalyse*, 38
- Division: between ancestral and descendant species, 32, 232, 236, 237; of character states, 301; logical, 12, 13; between taxa, 232-235
- DNA, *see* Deoxyribonucleic acid
- Dollo's law, 217, 232
- Drosophila*, 65
- Drug resistance, 239
- Ducks, 88
- Durchschnittliche Differenz*, 146
- E*, *e* of Smirnov, 136
- $\epsilon_n$ , in measure of inhomogeneity, 187
- $\epsilon$  (expected value), 129, 150, 316
- Echinoderms, 45, 248, 273
- Ecological associations, 124, 158
- Ecological niche, 219
- Ecological space, 220
- Ecological stages, 75
- Ecology: clustering in, 192; characters from, 93-95; coefficients used in, 124, 133; numerical taxonomy in, 280-281; review of methods, 141; sampling problems, 158-159
- Eggs, serology, 42, 89
- Electron microscopy, 47
- Electrophoresis, 46
- Embryology, 24
- Empirical correlations, 69, 82, 153
- Enterobacteriaceae, 203
- Environment: investigation of, 92; weight of characters in relation to, 118
- Environmental effects, 66, 282
- Enzymes, 72, 131
- Epilachna*, 262
- Equal-weighting, *see under* Weighting of characters
- Eremosmia*, 199
- Errors: in character coding, 158-159; experimental, 68
- Escherichia coli*, 65
- Essence of a taxon, 12, 19, 34
- Euclidean space, 144, 147, 187, 236
- Euphydras*, 259
- Evolution (*see also* Phylogeny): accounting for natural taxa, 21, 216-219; dendrograms and, 27-29, 245; effect of theory on taxonomy, 18, 20-26; and hierarchy of characters, 35; of inanimate objects, 96; mammalian, 104-105; measurement of, 56, 238-242; patterns of, 217; relation to numerical taxonomy, 56; reticulate, 28; reversal of, 217, 247; sequences in, 75, 228; serological, 41, 239; of species, *see* Speciation
- Evolution rates: causing clusters, 218, 219; changes in, 32, 228; character rates, 238; conditions for measuring, 219, 228, 238; in dendrograms, 28; in horotelic evolution, 238, 240; overall, 238; pregroup-exgroup problem and, 229, 230; serological, 239; study by numerical taxonomy, 57, 237; in various taxa, 240-241
- Exemplar method, 61, 161-162
- Exgroup, 229
- Exobiology, 287
- Extinction, 28, 218, 245
- Factor analysis: application to taxonomy, 55, 194-198, 197; multiple, 194; principal component, 195; principle of exhaustive characterization and, 289; R-matrices and, 208-209; similarity coefficients for, 168; typical organisms chosen by, 256; uniqueness, 139
- Factor asymptote hypothesis, 111-114
- Factor loadings, 194
- Factors in complex characters, 82
- Families, 31, 240
- Farinosae, 259, 261
- Features (*see also* Characters), 62, 286
- Ferns, 108, 226
- Fig insects, 88
- Finches, 33
- Fishes: chromatography with, 45; evolution rates in, 240, 241; fossil, 247, 259; luminescence in, 23; red corpuscles of, 13
- Flavobacterium*, 286
- Flowering plants, 240
- Form genera, 288
- FORTRAN, 317
- Fossil evidence: in defining homology, 70; dendrograms and, 237; interpreted phenetically, 56, 223-224; required for evolution rate study, 229, for phylogenies, 29, 96-104
- Fossil record: gaps in, 31; paucity of, 21, 24, 56
- Fossils: allometry in, 79, 247; evolution rates, 238; ferns, 226; few characters in, 248; fish, 247, 259; "living," 25; numerical taxonomy applied to, 246-249, 248; stratigraphy and, 249
- Fourfold point correlation coefficient ( $\phi$ ), 134, 155
- Fourier series, 84
- Frequency distributions: of character deviations, 148; of similarity coefficients, 175, 243
- Fungi, 23, 88, 244, 288

- g*, in measure of homogeneity, 187  
*G* (index of discrimination), 277  
 Galliform birds, musculature of, 89  
 $\bar{G}$ S ("square mean"), 181  
 Gaps: between contemporaneous forms, 218;  
     size of, 173, 175; between taxa, 33, 203  
 Gastropod shells, 81  
 Gel precipitation, 45  
 Gene frequencies, 157  
 Gene loci, 172, 157  
 Gene pool, 86, 157  
 General classification, 19, 104  
 "General index" of Anderson, 38  
 Generalized distance, *see*  $D^2$   
 Genes: exchange of, 73, 216, 245; fine structure of, 40-42, 72, 217, 279; nexus hypothesis and, 84; numerical taxonomy of, 282; in polythetic taxa, 14; recombination of, 244; special classes of, 51, 85  
 Genetic code, 64  
 Genetic criteria for rank, 30  
 Genetic differentiation, 242  
 Genetic factors, 84  
 Genetic homologies, 110  
 Genetic isolation, 155, 216  
 Genetics, 23, 110, 282  
 Genome: change in evolution, 217, 242; information content of, 64; sample of, 111, 114, 117  
 Genotype, 47, 51, 66, 94, 114, 217  
 Genus, genera: in logic, 12; names of, 36, 257; rank in birds, 204; rate of evolution of, 240; traditional category, 31, 251  
 Geographical data, 93, 94, 224, 242  
 Geographical races, 33  
 Geographical variation, 90, 242  
 Geology, 283  
 Geometric shapes, 96, 247  
*Ginkgo biloba*, 204, 238  
 Globulins, 239  
 Grades, 102, 104, 224  
 Gramineae, 261  
 "Groping" in classification, 13  
 "Group methods," 182-185  
 Groups (*see also* Taxon): intergrading, 174; smallest showing character correlations, 276; for study, 16, 60  
*Gryphaea*, 108
- h*, in Rogers and Tanimoto's method, 187  
*H<sub>i</sub>*, in Rogers and Tanimoto's method, 186  
 Habitat, 93, 220  
 Habitus, 107  
 Haeckel's law, 232  
 Half-matrix, 177  
 Hardy-Weinberg equation, 157  
 Heads of insects, 87  
 Heincke's law, 243  
 Hemoglobin, 23, 66  
 Hemorrhagic septicemia bacillus, 103  
 Herrings, 38, 243  
 Heterogeneity of column vectors, 128, 142, 154  
 Heteroptera, 155  
*Hexosmia*, 199  
 Hierarchy: advantages of, 17, 171; distributions needed for, 171; explanation for natural, 218, 246; lower limits to, 204  
 Hierarchy of characters, 34  
 Histology, 47  
 Höhrentwicklung, 28  
 "Hollow curves," 245  
*Homo sapiens* (*see also* Man), 160, 161  
 Homology: current practice on, 8, 22; general, 69; genetic, 47; "numerical," 72, 74; numerical taxonomy and, 73; operational, 69-74; original meaning, 71; patristic relationship and, 221-222; Remane's views, 99, 224; serial, 68  
 Homonyms, 250, 257  
 Homoplasia, *see* Convergence  
*Hoplitis*, 261  
*Hoplitis* complex (*see also* Bees), 142, 175, 189, 196, 199, 213, 214, 259  
 Horizontal classification, 32, 101, 703  
 Horotelic evolution, 238, 240  
 Horses, 238  
 Host specificity, 93-95  
 Hybrid index, 277  
 Hybrids, 174, 204, 254, 259  
 Hyperspace, *see* Space
- i* (symbol for a character), 123  
 Idealistic morphology, 266  
 Identification (*see also* Keys, Specimens): automatic, 279; characters for, 275; confusion with construction of taxa, 267; of specimens, 58  
 Immunological distance (*I.D.*), 43  
 Immunological resemblance, 17  
 Inapplicable characters, 164-165  
 Inapplicable states, 163  
 Incomplete data, 272  
 Incongruence, *see* Congruence  
 Independent dimensions of variation (*see also* Factor analysis), 82, 154, 209  
 Index of typicality ( $R_i$ ), 186  
 Indices of animal and plant names, 257  
 Indigo, 23  
 Individuals: as OTU's, 120, 272; average, 243, 256; variation of, 160  
 Information: automatic processing of, 257; content, *see* Content of information; genetic, 64, 65, 73; retrieval, 279, 284, 288; taxonomic, 211, 279, 288

- Information theory: biology and, 111; closely related to taxonomy, 284; diagnostic keys and, 278; relation to taxonomic distance, 187; unit characters and, 63
- Infrared spectroscopy, 46
- Inhomogeneity, measure of, 187
- Insects (*see also* Bees, Mosquitoes, Butterflies): chromatography applied to, 45; compared to echinoderm, 273; congruence between life stages, 86-89; heads, 82; insecticides and, 110; luminescence in, 23
- Intermediate character states, scoring of, 293
- Intermediate forms of an organ, 234; of organisms, 59, 174: 217, 254, 255, 262
- Internal morphological characters, 269
- International Codes of Nomenclature, 250, 327
- International Plant Index, 257
- Interstudy coordination, 210-215
- Intuitive taxonomies, 12, 13, 22, 81, 267
- Invariant characters, 78, 292
- Isomorphic sets, 72
- Isosmia*, 263
- j* (symbol for an OTU), 123, 126
- Jaccard's coefficient, *see S<sub>j</sub>*
- Jensenia*, 263
- Jigsaw puzzle, 284
- Juncaceae, 261
- k* (number of factors), 209
- k* (symbol for an OTU), 126
- K* (proportion of matches at a gene locus), 157
- Kaloterms*, 125
- Karyotypes, 232
- Keys, diagnostic: construction of 58, 277-278; distinction from taxon construction, 118; influence on taxonomy, 9; on magnetic tape, 279; monothetic groups and, 14
- Knightia*, 166, 247, 248
- Königsberger Stammbaum, 45
- L* (number of gene loci), 157
- $\bar{L}_n$  (average similarity), 182
- Lactobacillus*, 46, 260
- Languages, 192, 286, 287
- Larval forms (*see also* Congruence) 81, 87
- Latimeria*, 238
- Leguminosae, 23
- Leukemia, 283
- Library classification, 284
- Life cycle stages: congruence between, 85-89; serological correspondence between, 42, 88; sexes treated as, 88; taxonomic difficulties of, 26
- Liliaceae, 190
- Liliales, 261
- Lily, 65
- Limits of taxa, 31-34, 254
- Lineages: as criterion for taxon, 7; determination of chronology, 246; division into taxa, 31, 32, 232, 233, 234, 235, 236, 237; fusion of, 99, 228; nomenclature for points of, 225; rates of evolution, 228; symbolism in dendrograms, 27
- Lingula*, 238
- Linnaean nomenclature, 36, 252
- Literary styles, 284
- "Living fossils," 25, 238
- Locusts, 38
- Log<sub>2</sub> *I.D.* (measure of serological similarity), 44
- Log<sub>2</sub> *S<sub>ij</sub>* (measure of taxonomic distance), 186
- Logic, Aristotelian, 12, 19
- Luminescence, 23
- "Lumping and splitting," 31, 204
- Lungfishes, 241
- m* (number of characters in Smirnov's coefficient), 138
- m* (number of matches), 126, 156, 302
- M* index, 43
- Machines, data-processing, 125, 257
- Mahalanobis' generalized distance (*D*<sup>2</sup>), 38, 147, 281
- Mallophaga, 94
- Mammals, Mammalia: evolution of 104-105, 219, 241; as natural taxon, 18; races in, 33; viruses of, 95, 226
- Mammal-like reptiles, 100, 105
- Man: blood groups in, 85; compared to anthropoids, 161; genome, 64; numerical taxonomy of, 259
- Man versus Machine controversy, 270-271
- Manioc, 259
- Marine plankton, 280
- Marsupial skulls, 83
- Matches: proportion of, 114; symbolism for, 126
- Matches asymptote hypothesis, 114-115, 165, 211
- Matching coefficients, *see* Coefficients of association
- Matrices, inversion of, 151
- Matrices, Q- and R-, 124-125, 207-209, 256
- Matrices, *t* × *t* (of affinity, resemblance, or similarity): as basis of numerical taxonomy, 52, 169; computational example, 298; effect of character samples on, 165; methods for structure in, 175-198; oversimplified representation, 169; phylogenetic deductions from, 227-230; principal diagonal of, 298; shading of, 52, 176, 177,



- Matrices, (*continued*)  
 178, 179, 198; statistical significance, 153;  
 structure in, 53–55; symbolism, 51; sym-  
 metrical, 177, 179
- Matrix, cophenetic, 202
- Matrix,  $n \times t$  (“data matrix”): compu-  
 tational example, 290–295; partitioning of,  
 289; publication of, 209; symbolism of, 123
- Matrix of serological similarity, 44
- MCD (Mean Character Difference), 146, 166,  
 264
- Mean correlation coefficient, 285
- Mean similarity values, 78, 79, 181–184
- Mean to variance ratio, 246, 289
- Measures of resemblance (*see also* Coefficient  
 of resemblance), 123 *et seq.*
- Medical diagnosis, 282
- Megachilidae, 259
- Metabolic chains, 73, 131, 164
- Metasequoia*, 238
- Methods (*see also* Cluster analysis): A, 74;  
 a posteriori, 34; Adansonian, 16–18; B, 78;  
 C, 77; cophenetic, 91, 200–202, 312; ex-  
 emplar, 61, 161–162; of reciprocal illumi-  
 nation, 22; 1, 74; 2, 77
- Microbiology, 162, 174, 258
- Micrococci, 288
- Microorganisms, 188, 243
- Midrange value, in phyletic deductions, 227
- Missing characters, 131, 163
- Missing data, 162
- Missing organs, 74, 163
- Models, 202, 203, 210, 234, 262
- Moles, 106
- Molluscs: Adanson’s work on, 16–17; chro-  
 matography on, 45; evolution of, 240;  
 luminescence in, 23; shells of, 81
- Monocotyledons, 190, 231, 259, 261
- Monophyly, monophyletic groups: assumed,  
 not proved, 7; as criterion for higher taxa,  
 223; criteria for, 97; explaining taxonomy,  
 20; Hennig’s views on, 224; Simpson’s  
 redefinition of, 99–100, 707; treatment by  
 numerical taxonomy, 233–235
- Monothetic groups, 13–15, 170, 188
- Monotremes, 104
- Monotypic taxa, 204, 245
- Morphological correspondence, 224
- Mosquitoes: comparison of methods, 166;  
 infrared spectroscopy, 46; new characters  
 from, 269; nonspecificity in, 90; numerical  
 taxonomic study of, 259; serology of, 285;  
 standardization of characters in, 142
- Mouse, 84
- Multidimensional relationship (*see also*  
 Space), 28, 51, 144, 173, 220, 289
- Multistate characters, 74, 135
- Multituberculata, 105
- Muscles: chemical characters from, 45; clas-  
 sification based on, 89
- Museums, 279
- Mutations: albino, 8; in clones, 121, 244; in  
 enzymes, 73; evolution and, 217; low-level  
 taxa and, 204; rates of, as characters, 162
- Mutually exclusive groups, 171, 287
- Mutually highest correlation, 305
- Mycobacterium*, 262
- Mycology, 250
- Myriapods, 23
- Mythology, 284
- $n$  (number of OTU’s as used by Rogers and  
 Tanimoto), 187
- $n$  (total character states in Smirnov’s co-  
 efficient), 138
- $n$  (total number of unit characters): defined,  
 123, 293; in factor analysis, 209; symbolism  
 in coefficients, 126, 141, 145, 302
- $n_a$  (number of characters in factor asymptote),  
 111
- $n_j, n_{jk}$  (symbolism of numbers in association  
 coefficients), 126, 303
- $n \times t$  matrix, *see* Matrix,  $n \times t$
- Names, *see* Nomenclature
- Natural classification, taxonomy, or system:  
 caused by evolution, 20; content of infor-  
 mation of, 19; discussion of, 11–20; logic  
 of, 18; Remane’s views on, 99, 224
- Natural organ groups, 72
- Natural selection, 217–218
- Natural taxon or group: assumed, not  
 proved, 7; character weighting and, 118;  
 construction of, 52–55; difficulty in defin-  
 ing, 11, 174; evolutionary basis for, 216–  
 220; intuitive, 12; as phenetic group, 32;  
 polythetic nature of, 13; predictive value  
 of, 19
- Naturalness in taxonomy, 17–20, 120, 261
- NC (“no comparison”), 74, 163, 292
- Negative correlation, 141, 305
- Negative matches: coefficients excluding,  
 129; effect of including, 78, 286; permissi-  
 bility, 128–131, 164, 273
- Neo-Adansonian school, 267
- New data in biology, 5, 279
- New OTU’s, 165, 211, 213
- “New Systematics,” 5, 7
- Nexus hypothesis, 84–85, 111
- “No comparison,” *see* NC
- Nodal analysis, 185
- Node, 186
- Nomenclatural types, 255, 256
- Nomenclature: added to dendrograms, 199,  
 200; based on taxonomic hyperspace, 255;  
 effect of numerical taxonomy on, 250; of  
 intermediate forms, 32, 254–255; numeri-

- Nomenclature: (*continued*)  
 cal 251, 254, 280, 287; personal feelings in, 10; phenon, 54, 251-253; requirements of, 35-36; smallest units in, 244; stability of, 59, 253, 268; uninominal, 280, 287
- Nomenifer, 257
- Nonadditive coding, 77
- Nonspecificity, *see* Congruence
- Nonspecificity hypothesis: definition of, 85; evidence for, 85-91, 285; at higher ranks, 88, 89; quantitative tests of, 87
- Normal distribution, 175
- Normalization, 145
- "Numerical homology," 72-74
- Numerical taxonomy: aims and basic principles, 49, 50-55; applications outside systematics, 280-284; applications to different organisms, 258-260, to genetics, 242-245, to paleontology, 105, 246-249, to phylogeny, 236; contributions to date, 258-264; cost of, 274; criticisms of, 264-271; definition of, 48; flow chart of, *frontispiece*; historical development of, 37-40; for measuring evolution rates 237-242; newsletter, 275; nomenclature and, 250; practical considerations and material, 271-275; prospects for, 271-275, 278-280; relation to other properties, 263, to serology, 44; stability of, 264
- Objectivity in taxonomy, 49
- Oceanography, 284
- Ochlerotatus*, 285
- Oil-bearing strata, 283
- Onomatophore, 256
- Operational homology, 69-74, 273
- Operational taxonomic units, *see* OTU's
- Orchidaceae, 23
- Orders: of bacteria, 273; time to evolve, 240; traditional category, 31
- Organ convergence, 106
- Organ taxa, 72
- Organism rates, 238-242
- Organisms (*see also* OTU's): different kinds studied by numerical taxonomy, 258-260; information content of, 64-65; unknown, effect of on taxonomy, 174
- Orthogenesis, 236
- Orthoptera, heads of, 82
- Oryza*, 246, 256; *O. subulata*, 261; *O. granulata*, 261
- OTU (Operational Taxonomic Unit): character variation within, 158-162; clones as, 121; definition, 121; from different geological periods, 228; grouping, principles of 169-175; individuals as, 120; limitation of number, 118; number of (*t*), 123; numbering system for, 291; as points in space, 143, 144, 179; rearrangement of, 178; representative, 162, 186, 272; self-comparisons of, 139; species as, 121; standard, 148, 215
- Overall advancement, 231
- Overall convergence, 98, 106-108, 218, 222
- Overlapping groups or clusters, 15, 174, 179, 181, 192, 227, 287
- Oysters, 108
- p*, *P* (proportion in a sample), 114, 314 *fig.*
- Pair-group methods (*see also* Variable-group methods, UPGM, WPGM), 183, 191
- Pairings, one-to-one, 71
- Paleontology: chemistry in, 47; nonspecificity in, 86; numerical taxonomy in, 246-249, 272; scanty evidence, 21, 24, 56
- Parallel evolution: definitions, 108-110; overall, 108
- Parametric value, 114, 127
- Parasexual cycle, 245
- Parasitism: characters from, 47, 93; incongruence in, 98; reduction of organs in, 231; social, 23
- Partial logical correlations, 67
- Pasteurella septica*, 260, 264
- Patristic relationship: compared to cladistic relationship, 221, 222; defined, 220; in dendrograms, 28
- Pattern recognition, 284
- Pearson product-moment correlation coefficient, *see r*
- Pemphigus populi-transversus*, 90
- Penguins, 204
- Pentadactyl limb, 71
- Phalanger*, 83
- Pheasants, 88
- Phenetic classification: monophyly and, 100; place of ancestral forms in, 232-235; versus phylogeny, 95-110
- Phenetic groups: as aim of numerical taxonomy, 57; in current taxonomy, 7; difference from genetic groups, 32, 121; diversity and rank of, 203; evolution responsible for, 216; usually monophyletic, 97-104, 227
- Phenetic relationship or resemblance: basis for numerical taxonomy, 52; criteria of rank, 30; definition of, 3; in dendrograms, 27, 198, 233, 234, 235, 236, 237; ecological differences and, 219-220; geographical characters and, 94; homologies based on, 71; homologous and convergent components, 221, 222; interpreting fossils, 56; primitiveness and, 231
- Phenon nomenclature: as adjunct to ranks, 54; described, 251-253; illustration of, 252, 313; phenon lines, 200, 201, 312

- Phenons: definition, 251; as patterns, 284  
 $\phi$  (phi coefficient,  $S_\phi$ ), 132, 134, 135, 155, 286, 287
- Philology, 284
- Philydraceae, 261
- Phyletic line, *see* Lineages
- Phylogenetic (phyletic) classification: congruence and, 87; construction of, 220–227; empirical taxonomy and, 55–57
- Phylogenetic relationship: in Adansonian theory, 50; deduction from affinity, 227–230; patristic and cladistic components, 220–222; phenetic affinity and, 95–110, 216–227; quantification, 289; recognition of, 57; type I of Hennig, 220
- Phylogenetic tree, 101, 103, 233, 234, 236, 237; discussion, 227, 228; phenetic relations and, 57, 233–237; symbolisms for, 27–29
- Phylogeny: in *Knightia*, 248; in linguistics, 287; nomenclature for, 255; speculations in, 7, 29; taxonomy viewed as, 20
- Phylum, 31, 206
- Physiological characters, 93
- $\Pi$  (proportion in a population), 374
- Plague bacillus, 259, 263
- Plants: apomictic groups, 244; evolution rates in, 240; parasitic and xerophytic, 106; serological relations, 40–45; taxonomy of, 289
- Pleiotropism 51, 84
- Political science, 284
- Pollen grains, 88
- Polygonaceae, 23
- Polygony, 99
- Polymorphism, 86, 155
- Polyphenic methods, 37, 45–47
- Polyphyly, *see* Monophyly
- Polythetic, definition of, 14
- Polythetic groups, 15, 99, 171, 188, 217, 276
- Pontederiaceae, 261
- Populations: data required for taxonomy of, 80, 247; Heincke's law in, 243; as OTU's, 80; panmictic, 173; sexually reproducing, 9, 244
- Precipitation reaction, 44
- Predictive value of classification, 19, 170
- Pregroup-exgroup problem, 196, 229–230, 230
- Previous classifications, 11, 260, 269
- Primary clump, 188
- Prime node, 186
- Primitive characters, 75, 230–232
- Primitive organism, 230–232
- Primitiveness, measure of, 231
- Principal components method, 195
- Principal diagonal, 177
- Principle of exhaustive characteristics, 289
- Probability of matching, 139
- Progetto Sistematica Actinomiceti, 275
- Product-moment correlation coefficient, *see*  $r$
- Proportion of matches, 114, 176, 128, 314
- Proteins: conservatism of, 42; nonspecificity in, 88; structure of, 40–42, 64, 285; taxonomy of, 41, 282; types of, 44
- Proteriades*, 199, 261
- Protozoa, 244
- Pseudomonads, 260
- Pseudomonas*, 261, 262; *P. solanacearum*, 263
- Psychology: matrices in, 124; reliability of tests, 158
- Publication of results, 209–210
- Punched cards or tape, 167, 210, 279
- $q$ ,  $Q$ , in Spearman's formula, 183, 307
- $Q$  of Yule and Kendall, 134
- $Q_s$  (Klimesk's coefficient of association), 287
- Q-R relations, 123–125, 207–209, 287
- Q-technique: criticisms of, 125; definition, 124; R-technique and, 207–209; statistical significance of, 127, 142
- Qualitative multistate characters, 75
- Quantification in biology, 270
- Quantitative multistate characters, 74
- $r$ ,  $r_{jk}$  (product-moment correlation coefficient): angular transformation, 203; computational example, 297; confidence limits of, 315; cophenetic, 202; formula for, 141, 296; MDC compared with, 166; as measure of shape, 152; with multistate characters, 156; recommended use of, 166
- $R_i$  of Rogers and Tanimoto, 186
- $R_{jk}$  (coefficient of relevance), 165
- $r_{aQ}$ ,  $r_{xQ}$ , in Spearman's method, 183, 307
- R-technique (*see also* Q-R relations), 124, 207–209, 281
- Races: geographic, 262; human, 157, 160–162, 282; phenetic distributions within, 173, 243; validity of, 33
- Random distributions, 171, 172, 246
- Random sample of characters, 41, 111, 114, 127
- Rank, *see* Taxonomic rank
- Rankits, 145
- Rankless taxa, 204
- Rat, *Rattus*, 84, 204
- Ratio against a standard, 142
- Recapitulation, law of, 24
- Recoding multistate into two-state characters, 76–79
- Recomputation of similarities, 181, 182, 194, 307
- Reduced C.R.L., 149
- Redundancy of information, 66, 208, 289
- Regression equation, 80

- Relationship: historical, in inanimate objects, 96; immunological, 41; multidimensional, 28; phenetic and phyletic components, 3, 55, **220-225**; static, 55; symbolism in dendrograms, 27-29; use of term, 3
- Relevance: defined, and coefficient,  $R_{jk}$ , 165; low degrees of, 122; minimal permitted, 166, 293
- Reptiles, 99, 104, 219
- Resemblance, estimation of (*see also* Affinity, Similarity): comparison and evaluation of, 166-168; with inapplicable characters: 164, 165; in taxonomy, 50, 51, 125 *et seq.*; in various sciences, 123-125
- Restionineae, 261
- Reticulate evolution, 28, 228
- Reticulation, 276
- Reversals: in correlations, 183, 198, 310; of evolution, 217, 277
- Rice, 142, 243, 259
- Rickettsiae, 227
- Roach, 23
- Rogers and Tanimoto: association coefficient, *see*  $S_{RT}$ ; distance coefficient, 151, **186**; generalized coefficient, 135; method of clustering, **185-188**, 193, 264, 288
- Rotation to simple structure, 185
- Rules of nomenclature, 250
- Russell and Rao's coefficient ( $S_{RR}$ ), 129, 131, 304
- $S$  (symbol for Coefficients of association, with distinguishing subscripts): computational examples, 304; formulas, 129-134
- $S$  (standard error), 313
- $s$  (standard deviation), 284
- $s$  of Smirnov, 136
- $\mathcal{C}$ ,  $\mathcal{C}_{jk}^2$ , of Zarapkin, 149, 152
- $\Gamma S$ ,  $\Delta S$  (mean similarities), 181
- $S.B.$  (population statistic), 157
- $s_{ij}^2$ , in Zarapkin's coefficient, 148
- $s_{i..at}$  in Zarapkin's coefficient, 148
- $S_j$  (Jaccard's coefficient): compared with  $S_{SM}$  and  $S_{RT}$ , 140, 166; formula and example, 129, 133, 304; uses for, 167
- $\bar{S}_n$  (average similarity), 182, 308
- $S_{RT}$  (Rogers and Tanimoto's coefficient): comparison with  $S_j$  and  $S_{SM}$ , 139, 140; formula and example, 133, 304; generalized coefficient, 136; with multistate characters, 156
- $S_n$ , 133
- $S_{SM}$  (simple matching coefficient): comparison with  $S_j$  and  $S_{RT}$ , 139, 140, 166; confidence limits, 116, 314; formula and example, 133, 300, 304; relation to distance, 151; uses for, 156, 167
- $S_{n..z}$ , scatter, 80
- $S$ -value scales, 212
- Sample size: of characters required, 115-117; of genes, 112-115
- Sampling error: of coefficients of resemblance, 115, 115, 116, 117, 313, 314; with overlapping characters, 117
- Sampling theory: matches asymptote and, 114; in  $Q$  matrices, 208; serology and, 41
- Scaling, 74, 154, 239, 292
- Scatter, 80
- Scatter diagram, 213, 214
- Schistosoma*, 88
- Scoring systems (*see also under* Character states), 76
- S.E., *see* Standard error
- Sea urchin, 89
- Seals, 106
- Selection of specimens, 60, 120
- Self-comparisons, 139, 181
- Semimetric space, 187
- Serological similarity: basis of, 40; measures of, 43
- Serology, *see* Comparative serology
- Sets: of features defining taxa, 13, 174; of genes and characters, 85, 87, 89; isomorphic, 72
- Seventy-five percent rule, 34, 276
- Sexual forms: congruence between 86, 88, 89, 214; difficulty in classifying, 26, 88
- Shape coefficient (*see also* Size and shape), 151
- Shapes, transformation of, 81-83
- Sharks, 218
- Sibling species, 32, 217
- $\sigma_d^2$  (variance of  $d$ ), 150, 316
- Silkworm, 88
- Similarity (*see also* Affinity, Resemblance): concept of overall, 18, 50; mean, 78, 79; negative, 140; numerical evaluation of, 48, 123 *et seq.*; in proportions, 152; recalculation in clustering, 81, 183; relative, 91, 211; serological, 40; use of term, 123
- Similarity coefficients (*see also* Coefficients of association, Correlation, Distance): comparison and merits, 139, 166-168, 247; correlations between, *see* Congruence; effect of convergence on, 106, of invariant characters, 67; frequency distribution of, 175, 213; general description, 51, 114, **123**; recoding characters for, 75; relevance and reliability, 166; stability with many characters, 114-117; statistical significance, 153
- Similarity matrix, *see* Matrices,  $t \times t$
- Similarity ratio of Rogers and Tanimoto, 133, 135
- Similarity scales: comparisons between, 213; in dendrograms, 198, 251
- Simple matching coefficient, *see*  $S_{SM}$

- Simplicity of form, 231, 248
- Single-linkage method, *see under* Cluster analysis
- Sirenians, 106
- Size and shape, size factor, 77, 79, 149, 151, 166, 282
- Size coefficient ( $C^2_q$ ), 149, 151
- Skulls, 83, 89, 149, 269
- Slave-making in ants, 23
- Smirnov's coefficient ( $t_{f,g}$ ), 135-138, 156
- Snail, 73
- Snakes, 148
- Sneath's coefficients, 133, 157
- Sneath's method of cluster analysis, 180
- Social insects, 23, 86, 88
- Soil classification, 281
- Sokal and Michener's group methods (*see also* UPGM, UVGM, WPGM, WVGM), 182-185
- Solanum*, 243, 259, 261
- Sørensen's method of cluster analysis, 181
- Space: multidimensional or hyperspace, 144, 156, 167, 192, 207, 289; phenetic or taxonomic, 171, 255; semimetric, 151
- Spearman's sums of variables method, 183, 189, 194, 198, 307
- Speciation, 5, 32, 216, 242, 243
- Species: concept, 9, 30, 121, 244, 261; ecology of, 124; evolution of, 216, 240; level of rank, 173, 208; in logic, 12; nomenclature of, 36; number of, 206; number of,  $s$ , in Smirnov's coefficient, 136; as OTU's, 120; validity of, 121
- Specimens: fossil, 246; identification of, 58, 278; as OTU's, 81, 272; selection of, 60, 81
- Spectra, continuous, 3, 174, 262
- Spermatozoa, 88, 89
- Sponges, 64, 259, 262
- Sporozoa, 26
- "Square mean," 181
- Stability: of nomenclature, 253; of numerical taxonomies, 54, 264
- Stages of life history, 85-91
- Stammart*, 99
- Standard character, 79, 80
- Standard deviation: of character deviation, 148; computational example, 293; formula for, 294
- Standard error, 115, 313-316
- Standard partial regression coefficients, 197
- Standard population, 148
- Standardization of characters: computational example, 293-295; with correlations, 142; with distance, 145, 148; frequency distributions and, 175; need for, 142, 154; Spearman's method and, 184, 194
- Standardization of ranks, 205
- States, *see* Character states
- Static classifications, 55, 266
- Statistical significance: computational examples, 313-317; of similarity coefficients, 135, 153, 286, 313; in  $2 \times 2$  tables, 127
- Stems: in dendrograms, 27, 198; weighting of, 185, 190
- Sterility barriers, 32, 243
- Strains, bacterial, 161, 162, 272
- Stratigraphy, 57, 249
- Strepsiptera, 88
- Streptococcus*, 262
- Streptomycetes, *Streptomyces*, 260, 263
- Structural plan, 71, 231
- Subordination of characters, 34
- Subspecies, 204, 240, 241
- "Sums of squares," 164, 243, 294, 298
- Syrphid flies, 162
- Systematics (*see also* Classification, Taxonomy): definition, 3; early, 12, 16; future of, 278, 287; influence of phylogeny on, 20; review, 286
- Systems of analyzed entities, 12
- $t$  (number in cluster), 181
- $t$  (number of OTU's), 123, 145, 293
- $t_{f,s}$ ,  $t_{f,g}$  (Smirnov's coefficient), 138, 139
- $T_n$ , in Rogers and Tanimoto's cluster method, 188
- Tâtonnement, 13
- Taxometrics* (newsletter), 275, 317
- Taxon, Taxa: adding or removing, 205, 213; artificial or arbitrary, 13, 33; criteria for, 7, 54, 203; definition, 4; distinct, 50, 217, 262; higher-ranking, 5, 121, 273; homogeneous, 175; limits of, 31, 53, 232, 236, 237, 240, 254; lower-ranking, 271; monophyletic, 6, 20, 100, 224; natural, 13, 18, 174; overlapping, 174; points of reference for, 205; polymorphic, as OTU's, 161; "rankless," 204; variation within, 150, 158
- Taxonomic characters, *see under* Characters
- Taxonomic distance, *see* Distance, taxonomic
- Taxonomic entities (*see also* OTU's), 50, 54
- Taxonomic rank: categories of, 31, 206; convergence at various, 107; criteria for, 30, 53, 203, 255; from dendrograms, 200, 251; evolution times, 240; higher categories, 5, 30; lower categories, 261, 276; in monophyly, 100; nonspecificity in, 86-91; for numerical taxonomic studies, 120, 271; phenon nomenclature for, 251; R type studies at various, 124; standardization of, 205, 213
- "Taxonomic rates," 240
- Taxonomic structure, techniques for describing, 176 *et seq.*
- Taxonomic system, construction of, 169-174

- Taxonomy (*see also* Systematics, Classification, Numerical taxonomy); Adansonian, 50; as art or science, 10, 21, 271; comparative serology and, 40; definition, 3; empirical, 49, 55; faults of current, 5 *et seq.*; intuitive, 16; natural, 11 *et seq.*; new methods in, 37-47; numerical, defined, 48; phylogenetic, 20 *et seq.*, 55, 95 *et seq.*; purpose of, 12, 19, 96-99, 119; self-correcting, 11, 22; system of, 169 *et seq.*, 198
- Techniques of numerical analysis, 274, 275
- Tens-complement of distance ( $10 - d_{jk}$ ), 176, 310
- Termites, 23, 26, 125
- Tetrachoric correlation coefficient ( $r_t$ ), 155
- Thallosys*, 204
- Therapsids, 105
- Three-dimensional space, 144, 203, 203
- Thurniaceae, 261
- Thylacine wolf, 106
- Time: in dendrograms, 27, 28; in evolution, 227, 228, 229, 238, 241, 242; in operating computers, 118, 318; in three-dimensional model, 234; vertical classification and, 31
- Tissue cultures, 88
- Tooth characters, 238
- Transformation: by addition of constant, 295, 296; of correlation coefficients, 203, 287, 315; of factors by rotation, 195; of shapes (grids), 87, 82, 83
- "Transient," 255
- Transposition of matrices, 318
- Trees: phylogenetic, *see* Phylogenetic trees; tropical, 241
- "Triangle mean,"
- Triangular matrices, 177, 298
- Tunicates, 23
- Turtles, 226
- Two-state characters: coefficients used with, 155; description, 74; information theory and, 63; recoding multistate into, 76; significance of negatives in, 130
- 2 X 2 tables: computational examples, 302, 303; determinant of, 134; in Q-type data, 128; symbolism for, 126, 302; as tests of statistical independence, 127
- Two-way frequency distributions, 213, 214
- Type I errors, 154
- Type specimens, 205, 256
- Types: nomenclatural, 59, 252, 255, 256; synthetic, of Smirnov, 38, 256; typological, 194
- "Typical," meaning of, 162, 194, 256
- Typology, 55, 194, 227, 266
- $u$  (number of unmatched cells), 126, 156, 303
- $u_n$  (measure of inhomogeneity), 187
- Unanalyzed entities, 12, 19
- Uniqueness, 139
- Unit characters: definition, 65; symbolism for, 123, 293; theory of, 63 *et seq.*
- Unwarranted comparisons, 162-164
- Unweighted group method (*see also* UPGM, UVGM), 189, 309
- UPGM (unweighted pair-group method), 182, 185, 189
- UVGM (unweighted variable-group method), 182, 185, 189
- Variable-group methods (*see also* Pair-group methods, UVGM, WVGM), 183, 191, 194, 305
- Variance: computational example, 294; of  $d$ , 150, 316; of differences between character states, 152; of separate characters, 150; of similarity values, 175, 192; ratio to mean, in dendrograms, 246
- Vegetation types, 280
- Vertebrates: enzymes in, 72; evolution rates in, 240; systematics of, 86, 226
- Vertical classification, 31, 102, 103
- Vibrio*, 261
- Viruses: classification, 92, 260, 282; DNA contents, 65; gene transmission by, 73, 226; lack of data on, 272; phylogeny, 226
- $w$  (weight for character state match), 137
- $\bar{w}$  (average weight for character), 138
- Wasps, 23
- Weighted pair-group method, *see* WPGM
- Weighted variable-group method, *see* WVGM
- Weighting of characters: a priori, 16, 34; in binary coding, 79; upon character correlations, 209; of character state match, 137, 138; cytotaxonomic, 47; equal, Adansonian practice, 16, 50, 51; equal, arguments for, 118-120, criticisms of, 8, 16, 267; excessive weight avoided, 75; in form genera, 286; by frequency in OTU, 160; hierarchy of characters and, 34; in host specificity, 95; for identification, 118, 267, 277; upon rarity, 137; serological, 42, 44, 93
- Weighting of matches, 129, 131, 137
- Weighting of stems, 184, 185, 190-191, 194
- Weighting of taxa, 161
- Whales, 204, 217, 218
- Wings and wing veins, 130-131, 163
- WPGM (weighted pair-group method) (*see also* Group methods): compared with other methods, 189, 196, 198, 207, 202; computational example, 309
- WVGM (weighted variable-group method) (*see also* group methods): compared with other methods, 189, 197, 199, 202, 264

- $x$  (allometric character), 80  
 $X_{ij}$  (score for OTU  $j$  for character  $i$ ), 123,  
141, 145, 293  
 $X'_{ij}$  (standardized character state score),  
295  
 $\bar{X}_{i,si}$  in Zarapkin's coefficient, 148  
 $\bar{X}_j$  (mean of states for OTU  $j$ ), 141  
 $\bar{X}_1$  (mean of scores for character 1), 294  
*Xanthomonas*, 261, 263; *X. stewarti*, 263
- $y$  (allometric character), 80  
Yardstick of resemblance, 206  
Yeasts, 33  
Yule's coefficient, *see*  $S_Y$
- $z$  (Fisher's transformation), 310, 315  
Zarapkin's coefficient,  $\mathcal{C}$ , 149, 152  
Zoology, 9, 250